

Notice of Allowability

| Application No. | Applicant(s) |
|-----------------|--------------|
| 10/829,060 | LU ET AL. |
| Examiner | Art Unit |
| Hoa C. Nguyen | 2841 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the amendment filed on 9/29/06.
2. The allowed claim(s) is/are 1-10 and 14-17.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

1. The amendment filed on 9/29/06 has been entered. Applicants have amended the specification and claims 1-7 and 17. Claims 11-13 and 18-29 are cancelled.

Claims 1-10 and 14-17 are treated on the merits in this Office Action.

Specification

2. The amended specification is approved. The objections to the specification are withdrawn.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 17: "The bonding structure as claimed in claim 4, wherein a second metal layer is formed on **said of electrodes** and on said bonding layer located on said second substrate" is changed to:

-- The bonding structure as claimed in claim 4, wherein a second metal layer is formed on **said plurality of electrodes** and on said bonding layer located on said second substrate".

The reason for the change is to correct a minor error in the "said of electrodes". It should be "said plurality of electrodes".

Allowable Subject Matter

4. Claims 1-10 and 14-17 are allowed.

Reasons for Allowance

5. The following is an examiner's statement of reasons for allowance: The amended claims have over come the objections and the 35 U.S.C. 112 rejections from the previous Office action. For clarification, the prior arts fail to teach, disclose, or fairly suggest, either alone or in combination, at least on claim 1, a bonding structure between two substrates, in which one of the substrates has metal pads, a protection layer, an adhesive metal layer, a buffer layer, and a metal layer formed thereon. The other substrate has electrodes and a bonding layer formed thereon. On the first substrate, the buffer layer is coated on the protection layer and on the adhesive metal layer, and the metal layer covers the buffer layer, wherein the metal layer is independently distributed on the surface areas of the buffer layer opposite to the protection and adhesive metal layer. On the other substrate, the electrodes and the bonding layer are also independently distributed on the substrate. And, the metal layer, the electrodes, and the bonding layer are bonded to complete the bonding structure. None of the prior art of record discloses such a bonding structure formed in between two substrates as claimed by the applicants.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Art Unit: 2841

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoa C. Nguyen whose telephone number is 571-272-8293. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Reichard Dean can be reached on 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hoa C. Nguyen
11/16/06

Dean A. Reichard
DEAN A. REICHARD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800
11/26/06